

Response to Office Action
SN 10/735,033
Customer No. 33354

AMENDMENTS TO THE DRAWINGS

Please replace the original drawings with the replacement sheets of drawings attached in Appendix A.

Response to Office Action
SN 10/735,033
Customer No. 33354

RECEIVED
CENTRAL FAX CENTER

JUL 17 2006

REMARKS

1. Amendments

The Applicants thank the Examiner for his close reading of the application and suggesting changes.

a. Amendments to Specification

The specification has been amended by replacing paragraphs [0001] and [0002] to correct the wording of the priority claiming per MPEP 201.11 and order of the subjects per MPEP 601. Paragraph [0023] has been amended to correct the part number for the hubs. Added words are underlined and deleted words are struck through. No new matter has been added.

b. Amendments to Drawings

The drawings have been amended to correct the objections noted by the Draftsperson for the reasons indicated in form PTO-948. Three replacement sheets are filed herewith.

c. Amendments to Claims

Claim 2 and Claim 8 are amended as suggested by the Examiner to identify only features showed in the drawings.

Claim 5 is amended as suggested by the Examiner to clarify that the rotation pin extends through a wall of the body.

Claim 7 is amended to correct the antecedent basis of "the biasing means" in claim 7.

Claim 15 is cancelled, as suggested by the Examiner.


A marked-up copy of the affected claims is attached in which added words are underlined and deleted words are struck through.

Response to Office Action
SN 10/735,033
Customer No. 33354

2. Conclusion

Applicant respectfully submits that all objections have been traversed, and that the application is in form for issuance. Applicant respectfully requests that the Examiner allow the application to proceed to issuance.

Respectfully submitted,

 7/17/06

Sandra L. Etherton
Attorney for Applicant
Registration No. 36,982

Customer Number 33354
Etherton Law Group, LLC
5555 East Van Buren Street
Suite 100
Phoenix, AZ 85008
tel: 602-681-3331
fax: 602-681-3339

Response to Office Action
SN 10/735,033
Customer No. 33354

APPENDIX A

REPLACEMENT SHEETS